



PMU-5K-TB

Main Features

- Integrated Trackball
- MS Windows Function Keys
- 24 Function Keys + 10-Key Numeric Pad
- USB and PS2 Configurations Available
- Various Keyboard and Language Layout Options

Typical Applications

- Commercial
- Industrial
- OEM
- System Integrators



Product Description

iKey's rugged panel mount keyboards allow for easy integration into workstations or other industrial environments. The PMU-5K-TB features a 25-mm trackball with left, middle and right-click buttons above it and a 10-key numeric keypad to provide dual functionality in one compact unit.

Its 24 function keys provide user versatility. This keyboard also offers user Windows keys for ease of access to the operating system.



Technical Specifications

SKU	PMU-5K-TB
Manufacturer	iKey
Country of Manufacture	United States
IP Rating	No
Number Of Keys	116
Function Keys	24 Keys
Key Material	Silicone Rubber
Pointing Device	Trackball
Backlight	No Backlight
Mounting Options	Top Mount
Interface Options	PS2, USB
Shock	3 x 11 ms pulses of 50g on each of 3 axes
Cable	LENGTH: 10 feet (3 meters) DESIGN: "Y" PS/2 (providing separate keyboard and mouse connections)
Vibration	POWER SPECTRAL DENSITY: 0.04g/Hz FREQUENCY RANGE: 20Hz - 2 kHz DURATION OF TEST PER AXIS: 3 hours
Power	PS2: KEYBOARD: 50mA@5V (from Keyboard port) POINTER: 20mA@5V (from Mouse port) USB: 70mA@5V (from CPU port)
Flammability	PRINTED CIRCUIT BOARD: 94 VO SILICONE OVERLAY: 94HB INTERFACE CABLE: 94 VO
Compatibility	PS/2 KEYBOARD/TRACKBALL: All Windows Operating Systems
Temperature Range	STORAGE: -40C to +85C (-40F to +185F) OPERATING: 0C to +65C (+32F to 149F)
Weight	2.00 lbs +/- 0.10 lbs (0.91 kg +/- 0.05 kg)
Warranty	1 Year Limited Warranty
Humidity	100% Humidity Resistant (when properly installed)
Dimensions	15.39" x 7.06" x 0.50" (w-h-d) 390.9mm x 179.3mm x 12.7mm SCREWS: 0.75" (19.1mm) CUTPIT: 13.52" x 5.18" (w-h) 343.4mm x 131.6mm
Certifications	IP Rated, NEMA 4X UL60950
Model Number(s)	PMU-5K-TB-PS2: With PS/2

cable
PMU-5K-TB-USB: With USB cable

