



## DM-2202-PM

### Main Features

- Integrated Control Panel
- OSD With Multi-Language Support
- Wall Mount VESA Compliant ( 100 x 100 mm)
- Integrated Stereo Speakers



### Typical Applications

- Aerospace
- Commercial
- Defence
- Industrial Consoles
- Marine Consoles
- Medical Systems
- Military
- OEM
- Radar Applications
- System Integrators

## Product Description

---

The DM-2202-PM 22" Panel Mount Widescreen TFT LCD Display has a host of features including OSD With Multi-Language Support ,Wall Mount VESA Compliant ( 100 x 100 mm),Integrated Stereo Speakers to name a few. Designed and built to survive harsh conditions and are perfectly suited for Aerospace , Commercial , Defence , Industrial Consoles , Marine Consoles , Medical Systems , Military , OEM , Radar Applications , System Integrators and other demanding applications. The typical lifetime of an DM-2202-PM 22" Panel Mount Widescreen TFT LCD Display is approximately 50,000 hours (typ).



## Technical Specifications

---

<b>SKU</b>	DM-2202-PM
<b>Weight</b>	8.5000
<b>Manufacturer</b>	FBP
<b>Country of Manufacture</b>	Taiwan
<b>Screen size</b>	22"
<b>Mounting Type</b>	No
<b>IP Rating</b>	No
<b>Screen Technology</b>	LCD
<b>Aspect Ratio</b>	16:10
<b>Display Resolution</b>	1680 x 1050
<b>Backlight Life</b>	50,000 hours (typ)
<b>Viewing Angle</b>	170 degree in horizontal & 160 in vertical (typ)
<b>Frequency Range</b>	Fh: 30 to 82Khz, Fv: 60 to 75Hz
<b>Brightness</b>	300 cd/m2
<b>Response Time</b>	< 5 ms
<b>Contrast Ratio</b>	1000:01:00
<b>Pixel Dimension</b>	0.282 (H) x 0.282 (V) mm
<b>OSD Control</b>	No
<b>Connectivity</b>	15 Pin female D-Sub x 1, Stereo headphone jack x 1, AC Power Jack
<b>Video Signal</b>	Analog RGB (0.7/1.0 Vp-p, 75 ohms)
<b>Sync. Signal</b>	Separate Sync, Composite Sync, Sync on Green
<b>Power - Input Voltage</b>	Universal/ Auto-sensing, 90 to 260VAC, 50/60 Hz
<b>Power Consumption</b>	Operation 363Watt ( Max ), Stand-by < 2 Watt
<b>Temperature Range</b>	OPERATING: 0C to +40C / STOREAGE: -20C to +60C
<b>Dimensions</b>	600.0 (L) x 430.0 (W) x 70.0 (D) mm
<b>Weight</b>	8.5 Kg (N.W.) / 98.5 Kg (G. W.)
<b>Certifications</b>	CE
<b>Accessories Included</b>	AC/DC Power Adapter

---

<b>Model Number(s)</b>	DM-2202-PM
<b>Warranty</b>	1 Years RTB Warranty
<b>Availability</b>	3-5 Weeks

---